

Hamilton Trucks

**WAREHOUSE AND
FACTORY TRUCKS OF
EVERY DESCRIPTION**

KOLNICK STEEL EQUIPMENT CO.
(ANGLE STEEL STUOL SALES CO.)
N. Y. & N. J. DISTRIBUTORS
98-100 PARK PLACE
NEW YORK
PHONES BARCLAY 7-8889-68



Hamilton builds a complete line
of floor trucks of which a few
prominent models are shown here.



Formerly known as
Zering Trucks

Hamilton Trucks for Every Load—Every Condition



FIGURE 907

HEAVY DUTY TERMINAL TRUCK

Figure 907—A popular truck for railroad terminals, steamship docks, warehouses and factories for handling loads up to 3 tons. Frame and platform built of extra heavy oak insuring long life. All corners are carefully rounded and re-enforced, and the ends are fully steel bound. Steel clips are placed on all bolsters to protect the wood from splitting. All wheels are fully equipped with roller bearings, and casters are double race, adjustable ball bearing type.

WAREHOUSE AND FACTORY TRUCK

Figure 15—This truck is of similar construction to Figure 907 except that it is built for somewhat lighter capacities—loads up to 3,000 pounds. The heavy cross rails are tenoned, mortised and bolted to the side rails.



FIGURE 15

GENERAL UTILITY TRUCK

Figure 840—For easy and quick movement of medium size loads this truck has no equal. It is constructed of the same high quality material as other Hamilton trucks, and is used for many diversified purposes. The casters on this truck are the standard Hamilton end thrust, ball bearing, stem type.



FIGURE 840

ROLNICK STEEL EQUIPMENT CO.
(ANGLE STEEL STUOL SALES CO.)
N. Y. & N. J. DISTRIBUTORS
98-100 PARK PLACE
NEW YORK
PHONES BARCLAY 7-5559--60



Formerly known as the Zering line. The standard of quality by which all floor trucks have been measured for 30 years.



FIGURE 20

DRY GOODS AND PAPER TRUCK

Figure 20—Standard size of this truck is 28" x 42". The standard load wheels are 7" x 2", and the casters are 4 1/2" x 1 1/2", and the ball bearing swivel type; the overall height is 10". Can be furnished with one rack only; also with load wheels in rear and two casters in front.



FIGURE 35
HEAVY BARREL TRUCK



FIGURE 30-31
Fig. 30—Half Iron Bound Straps
Fig. 31—Full Iron Bound Straps



FIGURE 37
BAG TRUCK



FIGURE 755
HEAVY ROLL TRUCK

HAMILTON'S STANDARD TWO WHEEL PUSH TRUCKS

Hamilton's two wheel push trucks are unsurpassed for speedy handling of goods in and out of terminals and warehouses and on steamship docks. The best grades of selected oak and hickory are used, and the steel frames are securely riveted and welded to the wooden structure. All Hamilton two wheel push trucks have turned axles; clearly bored wheels and finely polished bearings. From a complete line it is easy to select a model that will readily meet your requirements.

SIZE DATA

Fig. No.	Length	Width		Wheels	Weight
		Nose	Top		
30	52"	20"	20"	8 1/2" x 2 1/2"	50
30	56"	22"	22"	9 1/2" x 2 3/4"	75
31	52"	20"	20"	8 1/2" x 2 1/2"	60
31	56"	22"	22"	9 1/2" x 2 3/4"	90
31	62"	24"	24"	10 1/2" x 3"	125
35	52"	20"	20"	8 1/2" x 2 1/2"	75
35	56"	22"	22"	9 1/2" x 2 3/4"	90
37	48"	14"	20"	6" x 2"	60
40	46"	12"	18"	6" x 2"	27
711	67"	17"	22"	12" x 3"	125
3955	62"	24"	24"	10 1/2" x 3"	135

Figure 5001—This steel dollie is extensively used for moving heavy machinery, boxes, crates, etc. The heavy duty channel irons are electrically welded to the cross bars, so that the frame is practically unbreakable. This truck is 24" wide and 50" long and built with either four or six wheels. Wheel size is 6" x 4 1/2".

Figure 525—Straight grain selected hickory used on Hamilton Skids. Ends are carefully covered with heavy iron so that there are no rough projections. Standard lengths are 6, 8, and 12 feet—can be made in any size.

Figure 755—Standard truck for handling heavy rolls of paper, linoleum, screen wire, etc. Made in two standard sizes, 24" x 36" and 24" x 48". Wheels are 6" x 2". Overall height 10". Special sizes furnished on specification.

Figure 45—A handy little truck for handling various kinds of flat goods, cases, boxes, etc. The center wheels are 4" diameter and the end wheels 3" diameter so that the truck may be tilted to put on load. Built in any size required.




FIGURE 5001
HEAVY STEEL DOLLIE



FIGURE 525—SKID



FIGURE 3955
RAILROAD TRUCK



FIGURE 711
NEW ORLEANS
COTTON TRUCK



FIGURE 40
LIGHT DUTY
TRUCK



FIGURE 45
TILTING BOX TRUCK

RUBBER TIRED, DIVINE CUSHION AND METZGER WOOD WHEELS FURNISHED ON SPECIFICATION

tion—A Complete Line

SIX-WHEEL REMOVABLE STAKE TRUCK

Figure 7—The ideal truck for wood working plants, lumber mills, paper goods houses and warehouses. Particularly adapted for use over rough floors, door sills and elevator shafts. Will not tilt even when load is shifted to one corner. Stake pockets are securely bolted to sides. Capacity up to 4,000 pounds. The two load wheels are extra heavy duty type, built with either 2" or 3" face and may be equipped with either plain or roller bearings. Casters are end thrust, swivel type. Truck of hard wood construction, with four surfaced sides.




FIGURE 7

BALANCED TYPE REMOVABLE STAKE TRUCK

Figure 805—Practically the same truck as Figure 7 except that it has four wheel running gear arrangement as illustrated in photograph. It moves quickly, operates easily, and is strongly constructed. See schedule below for popular sizes.

Popular Sizes—Figures 7 and 805

26" x 48"	30" x 72"	36" x 72"
30" x 48"	36" x 48"	36" x 84"
30" x 60"	36" x 60"	36" x 96"

Load wheels on these trucks are 12" x 2", 16" x 2" and 18" x 3", 18" x 3½". Caster wheels are 6" x 2", 7" x 2" and 9" x 2½". The overall heights: 16" with 12" wheel, 17" with 16" wheel, 21" with 18" wheel.




FIGURE 805

WAGON TRUCKS

Figures 545, 430 and 130 illustrate the three standard Hamilton wagon trucks. Figure 545 is a medium duty wagon for handling loads up to 2,500 pounds; Figure 430 for loads from 2,500 to 4,000; and Figure 130 from 5,000 to 8,000 pounds. Complete specifications of the three models are below.

Fig. No.	Platform Size	Height	Front Wheels	Rear Wheels
545	24" x 36"	12"	9" x 2½"	9" x 2½"
545	30" x 42"	12"	9" x 2½"	9" x 2½"
545	36" x 48"	16"	12" x 2"	12" x 2"
430	36" x 60"	17"	12" x 3"	12" x 3"
430	36" x 72"	17"	12" x 3"	12" x 3"
130	36" x 60"	23"	14" x 3½"	20" x 3½"
130	28" x 96"	23"	14" x 3½"	20" x 3½"



FIGURE 545



FIGURE 130




FIGURE 430

Send for Catalog Showing and Listing 1000 Models--Hamilton Trucks

ALL STEEL SHELF AND TRAY TRUCK

Figure 1570—This handy truck is built with either stationary or removable trays. The super-structure is electrically welded and riveted to the frame, so that it will withstand most abusive uses. It can be built in a variety of sizes with any number of shelves—with solid or slatted trays—and with closed ends or sides of sheet steel. Send us your specifications, and we will gladly quote our price.

WOOD SHELF AND TRAY TRUCK

Figure 450—Widely used for handling small parts of different sizes in machine shops. Shelves are rigidly supported by wood uprights, and can be placed in any position needed. Finished with either balanced type or six wheel running gear arrangement. Give us length, width, height and number of shelves, and we will quote you at once.

BOX TRUCK

Figure 700—A convenient truck for handling large quantities of small commodities. It is made of hard wood, and the sides are tightly bound together with cross rods. Load wheels are extra heavy duty type and end wheels are swivel type permitting fast and easy movement. Removable ends furnished on specification. Two standard sizes are 20" x 42" x 18" deep, and 24" x 48" x 24" deep.

GET A COMPLETE CATALOG

Write for a copy of our general Catalog, which illustrates and describes over 1,000 standard Hamilton trucks, and also the complete line of Hamilton casters. Regardless of your loads or conditions, there is a Hamilton truck and caster that will exactly meet your requirements. Tell us about your special materials handling problem, and our engineers will be glad to work out the proper solution. We will gladly figure on any special truck, whether it be wood or steel.

Please address all communications to
NEW YORK CITY OFFICE

THE HAMILTON CASTER &
MANUFACTURING CO.
HAMILTON, OHIO

Hamilton

CASTERS TRUCKS

THE WORLD'S LARGEST CASTER AND TRUCK SPECIALISTS



FIGURE 1570



FIGURE 450




FIGURE 700

ROLNICK STEEL EQUIPMENT CO.
(ANGLE STEEL STOOL SALES CO.)
N. Y. & N. J. DISTRIBUTORS
98-100 PARK PLACE
NEW YORK CITY
PHONES BARCLAY 7-5550-66


HAMILTON CASTERS

SPECIFIED WHERE THE BEST IS DEMANDED




ECONOMIC
(Patented)

Strongest, most durable and easiest swivelling type caster made. Friction reduced to minimum by use of roller bearings. Capacity 3,000 to 10,000 pounds per set of four casters.



KALBER
(Patented)

A twin wheel type caster providing exceptional swivel action with a minimum of friction. One shot from Alemite grease gun thoroughly lubricates entire caster.



HAMILTON HEAVY DUTY

Outstanding for its ability to withstand punishment. It is compact and strong. Over size bearing, with hardened ball race. Hexagon castellated nut adjustment standard. Capacity 1,500 to 4,000 pounds per set of four casters.

Hamilton Casters enjoy an enviable position wherever used, because by actual test they give longer and more dependable service than any other caster built. Even under the most severe conditions, they stand up and render safe and economical movement of goods.

Evidence of their unfailing performance and lasting service is expressed in the many repeat orders received from such concerns as Ford Motor Car Company, American Tobacco Company, National Candy Company, H. J. Heinz, Fisher Body Company, Endicott-Johnson Company, Westinghouse, Stewart Warner, and hundreds of others who use Hamilton Casters for all types of work.

The Hamilton line includes casters for every industrial need—casters that have been especially designed for every industrial requirement. The materials used are the best that money can buy, and the best grade of workmanship is used to produce the finished product.

The casters shown on this page are just a few of the many standard types. If you require special design our engineering department will be glad to assist you without obligation.

Send for a copy of our new folder which describes in detail the popular Hamilton types.


Please address all communications to
NEW YORK CITY OFFICE

THE HAMILTON CASTER &
MANUFACTURING CO.
HAMILTON, OHIO

Hamilton

CASTERS TRUCKS

PUT IT ON WHEELS AND KEEP IT MOVING




CHAMPION

Greatest flexibility provided through double ball race. Can be furnished in gray iron, malleable or all steel. Capacity 5,000 to 12,000 pounds per set of four casters.



STEM BRACKET

A very popular Hamilton Caster; provides great freedom and easy steer under heavy loads. There is no cramping or binding.



RIGID

Hamilton Rigid Casters match other Hamilton swivel types. Properly designed and well proportioned, and of sturdy construction. Furnished with plate having 3, 4 or 5 bolt holes.

ROLNICK STEEL EQUIPMENT CO.
(ANGLE STEEL STOOL SALES CO.)
N. Y. & N. J. DISTRIBUTORS
98-100 PARK PLACE
NEW YORK
PHONES BARCLAY 7-5550-66